



cameo[®]
for lumen beings

P2 SERIES
P FOR PRECISION



Cameo® is a registered brand of the Adam Hall Group.



SOUND
TECHNOLOGY

LIGHT
TECHNOLOGY

STAGE
EQUIPMENT

HARDWARE
FOR FLIGHTCASES

ADAM HALL GROUP BRANDS





P2 SERIES

P FOR PRECISION

Cameo® – For Lumen Beings

The new profile spotlight series by CAMEO includes the new P2 fixtures with different LED types for any usage scenario. The series is compatible with the most common lens types, and we also offer unique Cameo lenses and tools, such as the gobo holder and an iris to adjust the light output's angle. Create sharp edges to highlight the main actor, or use gobo projection to set up iconic lighting atmospheres. Even at indoor theatres you'll feel like you're in the great outdoors thanks to the series' high CRI. Authenticity at its peak!



P2 D

LED PROFILE SPOTLIGHT WITH DAYLIGHT LED

- ▶ LED profiler with 230 W daylight COB LED
- ▶ High CRI (>97) and TLCI (>93) for natural colour rendering
- ▶ 15,000 lm luminous flux replaces conventional profile spotlight with 750W HPL bulb
- ▶ Colour temperature: 5,900 K (daylight white)
- ▶ Interchangeable fixed optics (19°, 26°, 36°, 50°) and zoom optics (15°-30°, 25°-50°)
- ▶ Time-saving Quicklight function with push encoder operation
- ▶ Selectable pulse width modulation (up to 25 kHz) for flicker-free operation
- ▶ Control via DMX, RDM or W-DMX (via optional Cameo iDMX Stick)
- ▶ Silent fan with different fan modes for every application area

Whether in the theatre, on a TV show or on an event stage - people and objects must always be optimally illuminated to give spectators and cameras a perfect picture of the action. To meet the requirements of lighting designers, directors, agencies, artists or company directors in any situation, Cameo has developed the P series: LED profile spotlights for the professional theatre, TV and event sector.

Anyone who sets people and objects in motion in scene with just one light beam must be able to rely on two aspects: Handling and light quality. The P2 D is convincing in both disciplines. The 230 W daylight COB LED emits a high-quality 5,600 K light with 15,000 lm luminous flux and is the perfect replacement for conventional, power-hungry 750 W profile spotlights in theatres, musicals, TV studios, at congresses or event stages in the live and corporate sector. Equipped with a particularly high CRI of over 97 Ra and a TLCI value of over 93, people and objects shine in perfectly defined light at all times.



FOR MORE INFORMATION AND ACCESSORIES
PLEASE SCAN THE QR-CODES

PRODUCT



ACCESSORIES





P2 FC

LED PROFILE SPOTLIGHT WITH FULL-COLOUR LED

- ▶ Full-colour LED profiler with 230 W RGBAL COB LED
- ▶ High CRI (>94) and TLCI (>93) for natural colour rendering
- ▶ 17,000 lm luminous flux replaces conventional profile spotlight with 750 W halogen lamp
- ▶ Stepless adjustment of colour temperature 1,800 K - 8,000 K
- ▶ Interchangeable fixed optics (19°, 26°, 36°, 50°) and zoom optics (15°-30°, 25°-50°)
- ▶ Integrated presets for LEE colour filters
- ▶ Integrated calibration chip for uniform colour reproduction
- ▶ Dim-to-warm function to emulate traditional light sources
- ▶ Control via DMX, RDM or W-DMX (via optional Cameo iDMX Stick)
- ▶ Silent fan with different fan modes for every application area

Whether in the theatre, on a TV show or on an event stage - people and objects must always be optimally illuminated to give spectators and cameras a perfect picture of the action. To meet the requirements of lighting designers, directors, agencies, artists or company directors in any situation, Cameo has developed the P series: LED profile spotlights for the professional theatre, TV and event sector.

Anyone who sets people and objects in motion in scene with just one light beam must be able to rely on two aspects: Handling and light quality. The P2 FC convinces in both disciplines. The 230-watt RGBAL COB LED emits a high-quality light with 17,000 lm luminous flux and continuously adjustable colour temperature (1,800 K - 8,000 K) and is the perfect replacement for conventional, power-hungry 750 W profile spotlights in theatres, musicals, TV studios, at congresses or event stages in the live and corporate sector.



FOR MORE INFORMATION AND ACCESSORIES
PLEASE SCAN THE QR-CODES

PRODUCT



ACCESSORIES





P2 T

LED PROFILE SPOTLIGHT WITH TUNGSTEN LED

- ▶ LED profiler with 230 W Tungsten COB LED
- ▶ High CRI (>97) and TLCI (>93) for natural colour rendering
- ▶ 14,000 lm luminous flux replaces conventional 750 W profile spotlight with halogen bulb
- ▶ Colour temperature: 3,200 K (warm white)
- ▶ Interchangeable fixed optics (19°, 26°, 36°, 50°) and zoom optics (15°-30°, 25°-50°)
- ▶ Time-saving Quicklight function with push encoder operation
- ▶ Selectable pulse width modulation (up to 25 kHz) for flicker-free operation
- ▶ Control via DMX, RDM or W-DMX (via optional Cameo iDMX Stick)
- ▶ Silent fan with different fan modes for every application area

Whether in the theatre, on a TV show or on an event stage - people and objects must always be optimally illuminated to give spectators and cameras a perfect picture of the action. To meet the requirements of lighting designers, directors, agencies, artists or company directors in any situation, Cameo has developed the P series: LED profile spotlights for the professional theatre, TV and event sector.

Anyone who sets people and objects in motion in scene with just one light beam must be able to rely on two aspects: Handling and light quality. The P2 T convinces in both disciplines. The 230 W daylight COB LED emits a high-quality warm white light (3,200 K) with 14,000 lm luminous flux and is the perfect replacement for conventional, power-hungry 750 W profile spotlights in theatres, musicals, TV studios, at congresses or event stages in the live and corporate sector. Equipped with a particularly high CRI of over 97 and a TLCI value of over 93, people and objects shine in perfectly defined light at all times.



FOR MORE INFORMATION AND ACCESSORIES
PLEASE SCAN THE QR-CODES

PRODUCT



ACCESSORIES





ACCESSORIES



P2 19° LENS
19° LENS FOR P2 D/FC/T



P2 26° LENS
26° LENS FOR P2 D/FC/T



P2 36° LENS
36° LENS FOR P2 D/FC/T



P2 50° LENS
50° LENS FOR P2 D/FC/T



P2 15°-30° ZOOM LENS

15° - 30° ZOOM LENS FOR P2 D/FC/T



P2 25°-50° ZOOM LENS

25° - 50° ZOOM LENS FOR P2 D/FC/T



P2 IRIS

IRIS FOR P2 D/FC/T



P2 GOBO HOLDER

GOBO HOLDER FOR P2 D/FC/T





for lumen beings



cameolight.com



facebook.com/cameo.lighting
youtube.com/cameolightandsound
blog.adamhall.com

For more information please visit:

cameolight.com



The information contained in this publication, including numerical data, has been prepared as a general guide to the products, but intending buyers and users must satisfy themselves as to the suitability and the safety of the products for their particular purposes and duties. No responsibility is assumed for any errors herein. The company reserves the right to alter the designs and material specifications of products shown in this publication without notice.

Cameo® is a
registered brand of

 **adam hall** experience
event technology

SOUND
TECHNOLOGY

LIGHT
TECHNOLOGY

STAGE
EQUIPMENT

HARDWARE
FOR FLIGHTCASES

share the experience at
adamhall.com